BIOVIRIDIAN

Excellence in HPLC-MS Analysis

CERTIFICATE OF ANALYSIS

Web Verification Code: **COA11506**

SAMPLE RECEIVED
October 23, 2026

COA ISSUED
October 27, 2026

SAMPLE INFORMATION

Vendor
P3 LABS LLC

Sample Name
GLP-R3 20mg

Sample Type
White lyophilized powder

Lot Number
RT00021

Molecular Weight
4731.2 g/mol


ANALYTICAL METHODS


Identity: Confirmed via LC–MS/MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation


TEST RESULTS

Specification	Result	Method	Status
Identity: GLP-R3	Retatrutide	LC-MS/MS	✓ Conforms
Content	20.94 mg	HPLC Quantitation	✓ Conforms
Overall Purity	99.87%	RP-HPLC (214 nm)	✓ Conforms

HPLC Chromatogram · Retention Time 11.473 **min**







Certification: This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at **bioviridians.com/coa-search.html** using the Web Verification Code above.

info@bioviridians.com

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.